

Page 1/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.04.2024 Version number 1.7 (replaces version 1.6) Revision: 30.04.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Lotpaste SP3000D TBS
- UFI: 2YP3-V0YM-200J-J34X
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Technical function soldering
- · Application of the substance / the mixture Brazing alloy
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Stannol GmbH & Co. KG

Haberstrasse 24 D-42551 Velbert

+49 (0) 2051 3120 332

sdb@stannol.de

- · Further information obtainable from: Product Safety Department
- 1.4 Emergency telephone number: 8:00 am 5:00 pm (CET) +49 (0) 2051 3120 332

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms







GHS05

GHS07

· Signal word Danger

## · Hazard-determining components of labelling:

Amine, (hydrierte Talg-alkyl)dimethyl-

Rosin

malonic acid

maleic acid

#### **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

## Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment. P280 Wear protective gloves / eye protection.

P280 Wear protective clothing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water. Immediately call a POISON CENTER/doctor. P310

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.



Page 2/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.04.2024 Version number 1.7 (replaces version 1.6) Revision: 30.04.2024

Trade name: Lotpaste SP3000D TBS

(Contd. of page 1)

P332+P313 If skin irritation occurs: Get medical advice/attention.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

· 9 · · · · · · · · · · · · · · · · · ·		
CAS: 98-55-5 EINECS: 202-680-6	alpha-Terpineol	2 - 9%
CAS: 8050-09-7	Skin Irrit. 2, H315; Eye Irrit. 2, H319 Rosin	2 - 9%
EINECS: 232-475-7 Index number: 650-015-00-7	Skin Sens. 1, H317	
CAS: 61788-95-2	Amine, (hydrierte Talg-alkyl)dimethyl-	2 - 9%
EINECS: 263-022-1	Skin Corr. 1B, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 141-82-2	malonic acid	≤ 2.5%
EINECS: 205-503-0	Eye Dam. 1, H318	
CAS: 27458-92-0	isotridecan-1-ol	≤ 2.5%
EINECS: 248-469-2	Skin Irrit. 2, H315	
CAS: 7440-22-4	Silver (Powder <0.0001mm)	≤ 1%
EINECS: 231-131-3	Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=100)	
CAS: 110-16-7	maleic acid	≤ 1%
EINECS: 203-742-5 Index number: 607-095-00-3	Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
	On a sittle and a sectional time its Oldin One and A. 11047. O > 0.4.0/	

Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.1 % • Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.



Page 3/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.04.2024 Version number 1.7 (replaces version 1.6) Revision: 30.04.2024

Trade name: Lotpaste SP3000D TBS

(Contd. of page 2)

## **SECTION 6: Accidental release measures**

## · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

## 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- $\cdot \textbf{Information about storage in one common storage facility:} \ \textbf{Not required}.$
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

CAS: 7440-22-4 Silver (Powder < 0.0001mm)

IOELV Long-term value: 0.1 mg/m<sup>3</sup>

- $\cdot$  Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

## · Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

(Contd. on page 4)



Page 4/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.04.2024 Version number 1.7 (replaces version 1.6) Revision: 30.04.2024

Trade name: Lotpaste SP3000D TBS

(Contd. of page 3)

## · Hand protection



#### Rubber gloves

Synthetic rubber gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

## **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid Colour: Grey · Odour: Mild

· Odour threshold: Not determined. · Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range > 100 °C Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: > 100 °C Decomposition temperature: Not determined. · pH Not determined. · Viscosity:

· Kinematic viscosity at 40 °C

20.5 mm<sup>2</sup>/s · Dynamic: Not determined.

Solubility

Not miscible or difficult to mix. · water:

· Partition coefficient n-octanol/water (log value) Not determined. Not determined. · Vapour pressure:

Density and/or relative density

· Density: Not determined. · Relative density Not determined. Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Pasty

(Contd. on page 5)



Page 5/8

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.04.2024 Version number 1.7 (replaces version 1.6) Revision: 30.04.2024

Trade name: Lotpaste SP3000D TBS

(Contd. of page 4)

· Important information on protection of health and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

 Explosive properties: Product does not present an explosion hazard.

Solvent content:

· VOC (EC) 0.00%

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

illioilliation with regard to physical hazard classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable		
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- $\cdot$  Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)



Page 6/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.04.2024 Version number 1.7 (replaces version 1.6) Revision: 30.04.2024

Trade name: Lotpaste SP3000D TBS

(Contd. of page 5)

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP14 Ecotoxic

- · Uncleaned packaging:
- · Recommendation: Packagings that may not be cleansed are to be disposed of in the same manner as the product.

# **SECTION 14: Transport information**

· 14.1 UN number or ID number

· ADR, IMDG, IATA not regulated

· 14.2 UN proper shipping name

· ADR, IMDG, IATA not regulated

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class not regulated

· 14.4 Packing group

ADR, IMDG, IATA not regulated
 14.5 Environmental hazards: Not applicable.
 14.6 Special precautions for user Not applicable.

(Contd. on page 7)



Page 7/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.04.2024 Version number 1.7 (replaces version 1.6) Revision: 30.04.2024

Trade name: Lotpaste SP3000D TBS

(Contd. of page 6)

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

• UN "Model Regulation": not regulated

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms







GHS05 GHS07 GHS09

### · Signal word Danger

## · Hazard-determining components of labelling:

Amine, (hydrierte Talg-alkyl)dimethyl-

Rosin

malonic acid

maleic acid

## Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

## Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.

P280 Wear protective clothing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water. P310 Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### · Directive 2012/18/EU

- $\cdot$  Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.



Page 8/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.04.2024 Version number 1.7 (replaces version 1.6) Revision: 30.04.2024

Trade name: Lotpaste SP3000D TBS

(Contd. of page 7)

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Department issuing SDS: Product Safety Department

· Contact: Hr. Dörr

· Date of previous version: 30.04.2024

· Version number of previous version: 1.6

## · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1